Indirect, background and decorative ambient lighting for Commercial and Residential projects!

Water-proof Super Bright Dimmable

EXPAND... Your creativity!

Wide Loyal Strip-Light PRO is the brightest in the market. Transform every room utilizing marvelous light accents that feel good. Open-up the possibilities and make your furniture seem weightless, make your walls glow, provide stair lighting to make your home safer, and fill rooms with indirect colourful light that reaches not just your eyes, but all of your senses.

We also have waterproofed our Strip-Light PRO for your outdoor use. The use of LED strips lighting is increasingly popular in residential and commercial applications, you are only limited by your creative senses!

See reverse side for specifications.

Wide Loyal Developments Ltd. • Los Angeles, CA • Seattle, WA • Vancouver, BCUS & Canada: 1-888-303-0931 (Toll Free) Fax: 1-888-303-0932 www.wideloyal.com


Wide Loyal Premium LED Strip-Light PRO is 30% brighter featuring 100% copper wire, lead free plastic and double sided anti-corrosive coating.







Technical Specifications						
Item Number	LD-5165					
Voltage	120V					
Wattage	14.4W/m					
Wire Gauge	20 AWG					
LED Colors	 (A) Warm White 3000K (N) Natural White 4000K (D) Daylight 5000K (W) Cool White 6500K (R) Red (Y) Yellow 	(G) Green (B) Blue (O) Orange (P) Pink (L) Purple				
LED Quantity	60 LED/m					
LED Type	SMD5050 PRO					
LED Brand	Epistar					
PCB Color	White / Brown					
PCB Coating	Double-Side Anti-Corrosion					
Luminous Flux (60mA)	23 Lm/LED / 1.380 Lm/m					
Luminous Efficacy	110 Lm/W					
Luminous Surface	Ø4.56 mm					
Dimmable	Yes					
IP Code	IP68					
Unit Length	0.5m (20")					
Max Length	100m (328Ft)					
Certificate	RoHS					



900

ວັດດາ

<u>Д</u> тüv

CE

Accessories							
Item No.	Picture	Description	ltem No.	Picture	Description		
LD5601		Power Cord, 1.6A Rectifier, MAX Run 10M (33ft) Bag of 5 (Bag)	LD5654	P	Power Cord, 4A Rectifier, MAX Run 25m (80ft) Bag of 5 (Bag)		
LD5651		Power Cord, 7A Rectifier, MAX Run 50m (164ft) (Set)	LD551	C	Power Cord, 4A Rectifier, MAX Run 25m (80ft) (Set)		
LD5603	计文	Splice Connector, Bag of 5 (Bag)	LD5610		Y-Cord, M-2M, Bag of 5 (Bag)		
LD5612	in the second second	L-Connector, Bag of 2 (Bag)	LD5622		T-Connector, Bag of 2 (Bag)		
LD5623		X-Connector, Bag of 2 (Bag)	LD5635	HA	Male Pin, Bag of 10 (Bag)		
LD5618		Jumper Cable, 6Ft, Bag of 5 (Bag)	LD56181	H	Jumper Cable, 1Ft, Bag of 5 (Bag)		
LD5618H	9	Jumper Cable, 0.5Ft, Bag of 2 (Bag)	LD5604		End Cap, Bag of 5 (Bag)		
IU34	A CONTRACTOR OF	Heat Shrink Tube, Bag of 100 (Bag)	LD5606	An An	24 Mounting Clips + 48 Screws (Bag)		
S83	×	3Ft U-Channel, Box of 50 (pc)	LWL-2CC		LED Flasher, 120V, 8A, 2 Receptacle Slots (Set)		
WL-3DC		LED Dimmer, 120V, 8A, 2 Receptacle Slots (Set)					







RoHS COMPL

Wide Loyal Developments Ltd. • Los Angeles, CA • Seattle, WA • Vancouver, BC US & Canada: 1-888-303-0931 (Toll Free) Fax: 1-888-303-0932 www.wideloyal.com e-mail: sales@wideloyal.com