

Building Exteriors, Parks, Shopping/Auto malls, Outlets, Plazas!

Wallpacks

SUPER BRIGHT



High Output and Great Efficiency!



Wide Loyal's Wallpacks are Ideal for building exteriors, parks, shopping/auto malls, outlets, plazas, and other industrial and commercial lighting purposes. Direct replacement for HID Wall-pack High efficiency reflector. 'Soft' easy on the eyes, non-glare light, with no double shadow and dimmable.




WLD Wallpacks are built with long-lasting materials and energy-efficient LED technology. Featuring a classic dayform, the WLD LED offers a traditional appearance and is powered by advanced LEDs. This luminaire is powerful yet energy efficient, capable of replacing up to a 70W HPS wall pack while saving up to 78% in energy costs. With long-life LEDs, the WLD LED Wall-pack eliminates frequent lamp and ballast replacements associated with traditional technologies.

See reverse side for specifications.

Wide Loyal Developments Ltd. • Los Angeles, CA • Seattle, WA • Vancouver, BC

US & Canada: 1-888-303-0931 (Toll Free) Fax: 1-888-303-0932 www.wideloyal.com e-mail: sales@wideloyal.com



TECHNICAL EPECIFICATIONS

Item Number	LW-PH528	LW-PH528M (Meanwell Driver)	LW-PH636	LW-PH636M (Meanwell Driver)
Description	LED Wall Pack		LED Wall Pack	
Picture				
Voltage	AC 110-277 V		AC 110-277 V	
Power	28W		36W	
LED Type	SMD5630		SMD5630	
LED Brand	Samsung		Samsung	
CCT	2700K / 3000K / 4000K / 5000 K / 6000K		2700K / 3000K / 4000K / 5000 K / 6000K	
Beam Abgle	140°		140°	
luminous Flux	2100 Lm		2700 Lm	
CRI	>80		>80	
Life Span	50,000 Hours		50,000 Hours	
Material	Die-Casting Aluminum + Impact Resistant Borosilicate Refractive Glass		Die-Casting Aluminum + Impact Resistant Borosilicate Refractive Glass	
IP Rating	IP65		IP65	
Dimensions				
Application	Indoor or Outdoor. Warehouse, Stadiums, Industrial Lighting, Architectural Lighting, and etc		Indoor or Outdoor. Warehouse, Stadiums, Industrial Lighting, Architectural Lighting, and etc	
Certificate	cETL ETL LM79		cETL ETL DLC LM79	
Warranty	1 Year		1 Year	



Wide Loyal Developments Ltd. • Los Angeles, CA • Seattle, WA • Vancouver, BC

US & Canada: 1-888-303-0931 (Toll Free) Fax: 1-888-303-0932 www.wideloyal.com e-mail: sales@wideloyal.com

TECHNICAL SPECIFICATIONS				
Item Number	LW-PH660	LW-PH660M (Meanwell Driver)	LW-PH690	LW-PH690M (Meanwell Driver)
Description	LED Wall Pack		LED Wall Pack	
Picture				
Voltage	AC 110-277 V		AC 110-277 V	
Power	60W		90W	
LED Type	SMD5630		SMD5630	
LED Brand	Samsung		Samsung	
CCT	2700K / 3000K / 4000K / 5000 K / 6000K		2700K / 3000K / 4000K / 5000 K / 6000K	
Beam Angle	140°		140°	
Luminous Flux	4200 Lm		12mm * 800mm	
CRI	>80		>80	
Life Span	50,000 Hours		50,000 Hours	
Material	Die-Casting Aluminum + Impact Resistant Borosilicate Refractive Glass		Die-Casting Aluminum + Impact Resistant Borosilicate Refractive Glass	
IP Rating	IP65		IP65	
Dimensions				
Application	Indoor or Outdoor. Warehouse, Stadiums, Industrial Lighting, Architectural Lighting, and etc		Indoor or Outdoor. Warehouse, Stadiums, Industrial Lighting, Architectural Lighting, and etc	
Certificate	cETL ETL DLC LM79		cETL ETL DLC LM79	
Warranty	1 Year		1 Year	



Wide Loyal Developments Ltd. • Los Angeles, CA • Seattle, WA • Vancouver, BC

US & Canada: 1-888-303-0931 (Toll Free) Fax: 1-888-303-0932 www.wideloyal.com e-mail: sales@wideloyal.com

Wallpacks are the perfect outdoor night light. Wallpack lighting fixtures create more secure exteriors and pedestrian walkways, while enhancing a building’s exterior.



Accessories		
Picture	Item No.	Description
	LW-A001	Photocell
Picture	Item No.	Description
	LW-A002	Support Plate

